

LBK Weighing Scales



LBK scales offer quick and easy weighing right out of the box. The low profile design is compact and allows these scales to be used where you need them. Simple to use with only 5 keys, which are color coded to highlight the most used keys for faster operation.

Basic weighing tasks are quick and easy with the LBK weighing scales. And with percentage weighing, basic parts counting and 5 weighing units the LBK can also be used for more complex weighing functions if needed.

With over 35 years of experience in the production of weighing instruments you can trust Adam for quality products that offer a range of features designed for a variety of applications.



ADAM[®]
PERFECT BALANCE
Speed, Performance, Value

LBK Highlights:

The large backlit display is easy to read and clearly shows weight and weighing units that are being used.

Generous stainless steel pan is removable for easy cleaning

Built in rechargeable battery allows the LBK to be used any where without the need for external power sources. With auto power off to save the battery life, which is 90 hours before it needs to be recharged.

Multiple weighing units and weighing modes allows for different applications, making the LBK total flexible to meet changing market needs.

Features

- Rechargeable battery or AC adapter operation (adapter included)
- Stainless steel pan
- 5 weighing units
- Pre-set tare
- Auto power off
- Overload alarm
- Adjustable level feet

Applications

- Weighing
- Parts counting
- Percentage weighing



Large Backlit Display



Color Coded Keys



Stainless Steel Pan

Technical Specifications

Model	LBK 6a	LBK 12a	LBK 25a	LBK 65a
Capacity x Readability	6lb x 0.001lb 3kg x 0.5g	12lb x 0.002lb 6kg x 1g	25lb x 0.005lb 12kg x 2g	65lb x 0.01lb 30kg x 5g
Repeatability (S.D.)	0.001lb / 0.5g	0.002lb / 1g	0.005lb / 2g	0.01lb / 5g
Linearity (+/-)	0.002lb / 1g	0.004lb / 2g	0.01lb / 4g	0.02lb / 10g
Pan Size	9.9" x 7.1" / 250mm x 180mm			
Weighing Units	g / kg / lb / oz / lb:oz			
Stabilization Time	2 Secs			
Calibration	Automatic External			
Display	7 digit green LCD display			
Power Supply	12VDC 800mA adapter and 6V 4Ah rechargeable battery			
Operating Temperature	32° -104°F / 0° - 40°C			
Housing	Plastic housing Stainless steel top pan			
Overall Dimensions (WxDxH)	10" x 12" x 4.3" / 250mm x 307mm x 110mm			
Net Weight	4lb / 1.8kg			