



Adam Equipment's Highland balances have what it takes for lab work, field use, and various education and industrial applications. They feature multiple weighing units, RS-232 and USB interfaces, rechargeable battery and AC operation, capacity tracker, adjustable feet and level, lock down and more. Density and specific gravity determination are easy with the below balance weighing feature, and the removable draft shield eliminates wind disturbances outdoors or in drafty environments. ShockProtect™ overload protection keeps the performance of the Highland safe and secure, and the HandiCal™ internal calibration weight provides reliable readings time after time. With built in applications for parts counting, percentage weighing and totalisation / accumulation, Highland balances are packed full of useful features.

Full of features, the Highland is an exceptional value in precision weighing



Features

- Vivid, backlit LCD easily visible in any lighting conditions
- Programmable backlight can be set to “always on,” “always off” or “light only when weighing”
- Capacity tracker built into display for easily monitoring possible overloads
- Balances stack efficiently and safely to save space (120mm pan size only)
- Color-coded keys facilitate quick recognition of the most frequently used buttons
- Dual tare keys facilitate operation with either the left or right hand
- Level indicator and adjustable feet ensure proper balance setup for optimum weighing results
- Security slot for optional Kensington-type lock and cable to help prevent theft
- Large, grade 304 stainless steel pan allows easy cleaning
- Solid ABS housing is durable for industrial uses
- Three-point ShockProtect® feature helps prevent overload damage to internal components
- Hook included for weighing below the balance
- Internal calibration eliminates need for external weight set
- USB and RS-232 interfaces provide speedy communication with computers and printers
- Audible overload alarm warns when capacity has been exceeded
- External calibration allows for verification and adjustment with weights
- Selectable digital filtering helps minimize effects of vibration and disturbances
- Parts counting with preset sample sizes
- Memory accumulation totals results
- Zero-tracking feature ensures display returns to zero reading
- AC adapter included
- Rechargeable battery included for operation almost anywhere
- Programmable auto power-off to save energy

Applications

- Weighing
- Parts counting
- Percentage weighing
- Accumulation of weight

About ADAM:

For nearly 50 years, professionals worldwide have relied on Adam Equipment for an extensive selection of dependable and affordable weighing equipment. Adam provides the right balance of speed, performance and value.

Product Details

Model	HC B 123	HC B 153	HC B 302	HC B 602	HC B 602H	HC B 1002	HC B 1502	HC B 2202	HC B 3001	HC B 6001
Capacity	120g	150g	300g	600g	600g	1000g	1500g	2200g	3000g	6000g
Readability	0.001g	0.005g	0.01g	0.02g	0.01g	0.01g	0.05g	0.01g	0.1g	0.1g
Repeatability (S.D.)	0.0008g	0.005g	0.008g	0.01g	0.01g	0.01g	0.05g	0.01g	0.05g	0.05g
Linearity (+/-)	0.003g	0.01g	0.02g	0.02g	0.02g	0.02g	0.1g	0.03g	0.2g	0.2g
Minimum Weight (USP, typical)	0.02g	0.02g	0.02g	1g	0.5g	0.5g	1g	0.5g	20g	20g
Pan Size	4.7" ø / 120mm ø									5.7" ø / 145mm ø
Weighing Units	g, lb, oz, N, GN, ct, dr, dwt, mm, ozt, T, tl.H, tl.S, tl.T									
Stabilization Time (sec)	3	2	3	2				3	2	
Interface	RS-232 / USB									
Calibration	External calibration / Internal manual calibration									
Display	Backlit LCD with 0.7" / 18mm high digits									
Power Supply	12VDC 800mA adapter / Internal rechargeable battery									
Operating Temperature	32° a 104° F / 0° to 40°C									
Housing	ABS plastic									
Draught Shield	5.2" ø x 3.5" / 132mm ø x 90mm									N/A
Overall Dimensions (WxDxH)	6.9"x9.9"x3.1" / 174x252x80mm									
Net Weight	4.4lb / 2kg									

Accessories

Item numberDescription

- 308002042Hard carrying case with lock for CQT/HC B
- 308232034In-use cover (pack of 5)
- 308232035In-use cover (pack of 10)
- 308232030In-use cover
- 1120011156ATP thermal printer
- 3126011263ATP thermal printer paper
- 3126011281ATP thermal printer paper (pack of 10)
- 700400103RS-232 cable
- 700100046Kensington-type lock and cable
- 600002028Adam DU data collection program
- 3074010267USB cable
- 700660290Calibration certificate
- 700100007F1 100g Calibration Weight
- 700100012F1 200g Calibration Weight
- 700100009F1 1kg Calibration Weight
- 700100010F1 2kg Calibration Weight

Key Accessories



ATP Thermal Printer

Easy-to-use features combined with quick set-up equals a truly versatile thermal printer. A single push-button feed key and three easy-to-read LED indicators make operation simple.



Kensington® Cable Lock

The security lock and cable fits the built-in lock attachment on balances and scales, and loops around an object to secure your balance in place. The flexible steel cable is difficult to cut, and the combination lock allows users to choose a combination number for added security.



Adam DU Software

Adam DU software connects a balance to the laboratory network, helping to achieve seamless data collection, transfer and analysis. DU features an easy-to-use interface with a main command window, allowing users to quickly collect information from up to eight Adam balances simultaneously using RS-232 or USB connections.

Supplied by

www.adamequipment.com

Adam Equipment follows a policy of continuous improvement and reserves the right to change specification and pricing without notice. Adam Equipment's standard terms and conditions of sale apply. Errors and omissions excepted.